



# 2009 DODGE CHALLENGER



## TABLE OF CONTENTS

What's New for 2009 .....	2-4
Challenger SUVPS Three-Minute Drill .....	5-6
Features, Options & Package Groups .....	7-10
Specifications/Dimensions .....	11



The Dodge Challenger revisits the vintage North American muscle car blending nostalgic flair with 21st century technology to deliver leading-edge refinement. With four distinct models (SE, SXT, R/T and SRT8), customers can choose power levels from the confident 250-horsepower 3.5L V6 all the way up to the pavement-pounding 425-horsepower 6.1L V8. Available technologies include the Electronic Stability Program (ESP™)<sup>(1)</sup> with all-speed traction control and Hill Start Assist,<sup>(2)</sup> ABS, uconnect studios – SIRIUS™ Satellite Radio, two Boston Acoustics® speaker systems, uconnect gps with navigation, uconnect phone<sup>(3)</sup> and the available Keyless Go push-button start system. And while commanding the road, Challenger pampers passengers with generous interior proportions all styled to its heritage while taking advantage of all the comfort and road noise isolation of its Dodge Charger brother.

## EXTERIOR

- New Colours: Inferno Red Crystal, TorRed, HEMI® Orange,<sup>(4)</sup> Deep Water Blue, Bright Silver Metallic, Dark Titanium Metallic, Brilliant Black Crystal Pearl, Stone White, B5 Blue<sup>(5)</sup>
- Wheels:
  - 17-inch Machined-face aluminum wheel (standard SE)
  - 18-inch Cast aluminum (standard SXT, R/T)
  - 20-inch Cast aluminum (optional R/T)
  - 20-inch Forged aluminum (SRT8)
- Safety-cage body structure/crumple zones
- Rear Spoiler
  - Body-colour (R/T)
  - Black (SRT8)
- Exhaust
  - Bright square dual tip (R/T, SRT8)
  - Single (SE, SXT)
- Fuel Door
  - Body-colour (SE, SXT)
  - Satin Chrome racing style (R/T, SRT8)
- Badging:
  - Challenger front grille left (all models)
  - SRT™ front grille right and rear decklid spoiler (SRT8)
  - R/T front grille right (R/T)
  - HEMI right/left upper hood cowl (R/T)
  - 6.1L HEMI right/left upper hood cowl, hood stripe (SRT8)
- Body-colour front and rear fascias, door handles and exterior door-mounted racing-style mirrors (all models)
- Satin Chrome front grille (all models)
- Lower sill moulding black (all models)
- Performance hood with dual scoops (functional for air flow on SRT8 models)

## INTERIOR

- Advanced multistage air bag system<sup>(6)</sup>
- Side-curtain air bags<sup>(6)</sup>
- Seat belt constant-force retractors (CFR)
- Energy-absorbing steering column
- Fabrics:
  - Dark Slate Grey leather with Dark Slate Grey suede microfibre inserts, red seatback accent band and Light Slate Grey accent stitching and SRT logo (SRT8)
  - Leather monotone seats in Dark Slate Grey (optional SXT, standard R/T)
  - Leather two-tone seats in Dark Slate Grey with Light Slate Grey inserts (optional R/T and SXT with Leather Interior Group)
  - Cloth seats in Dark Slate Grey (standard SXT and SE)
- Available Keyless Go Button: Allows the driver to start the vehicle with the push of a button as long as the vehicle key is within the vehicle passenger compartment. A driver carrying a recognized Keyless Go FOB/IK can operate the vehicle (start, stop engine, enter run or accessory modes) by pressing the Go button. This feature can also be removed for use with the conventional FOB/IK (standard SRT8, available R/T)
- Available six-speed manual shifter will reflect a contemporary “pistol grip” design, accented with Satin Silver and Satin chrome
- Tire Pressure Monitoring: Warning lamp in instrument cluster (SE, SXT, R/T), display showing individual tire pressures and a warning message that indicates which tire is low (available R/T, standard SRT8)



**INTERIOR (CONT.)**

- Entertainment systems:
  - AM/FM stereo radio with CD/MP3/WMA and auxiliary jack (RES) (standard SE, SXT, R/T, SRT8)
  - AM/FM stereo radio with six-disc/MP3/WMA (REQ) (available SXT, R/T, SRT8)
  - uconnect gps includes AM/FM stereo radio with CD/DVD player, full map navigation with GPS (RER) (optional SXT, R/T, SRT8)
  - Four speakers (standard SE, SXT)
  - Boston Acoustics® six-speaker system with 276-watt amplifier and subwoofer (available SXT, standard, R/T and SRT8)
  - Boston Acoustics seven-speaker system with 368-watt amplifier and subwoofer (available R/T)
  - KICKER® package with 13 premium speakers with 322 watts and 10-inch 200-watt subwoofer (available SRT8)
- uconnect studios – SIRIUS™ Satellite Radio (RSC) (available SE, SXT, R/T and SRT8)
- Universal Consumer Interface included with uconnect phone (available SXT, R/T, standard SRT8)
- uconnect phone voice-activated hands-free communication system<sup>(9)</sup> (RSP) (available SXT, R/T, SRT8)
- Reconfigurable Display: Allows the driver instant feedback on performance data, such as 0-96 km/h (0-60 mph) time, 96-0 km/h (60-0 mph) braking, G-forces, and quarter-mile time (SRT8)
- EZ-access front seat function: High-mounted seatback lever allows the seatback to dump forward and the seat to slide; all manual driver and passenger seats will have this function for better access
- Instrument panel, shifter bezels hydrographic mini carbon (SRT8, R/T)
- Lock knobs chrome (all models)
- Door pull handles
  - Illuminated (available R/T, standard SRT8)
  - Hydrographic mini carbon (SRT8, R/T)
  - Dark Slate Grey (SXT, SE)
- Steering wheel
  - Dark Slate Grey with hydrographic mini carbon upper (SRT8)
  - Dark Slate Grey (SE, SXT, R/T)
  - Satin Silver upper/lower spokes (all models)

- Shift knob
  - Hydrographic mini carbon (SRT8)
  - Leather (SXT, R/T)
  - Urethane (SE)
- Door armrests
  - Dark Slate Grey with Light Slate Grey accent stitching (SRT8)
  - Dark Slate Grey (SE, SXT, R/T)
- Bright pedal kit (standard on manual transmission vehicles)

**PERFORMANCE/FUNCTIONAL**

- Engines:
  - 3.5L SOHC High Output 24V V6, 186 kW (250 hp) @ 6400 rpm/339 N·m (250 lb-ft) @ 3800 rpm
  - 5.7L HEMI® VVT V8 with Multi-Displacement, 277 kW (372 hp) @ 5200 rpm 280 kW (376 hp) with automatic transmission/543 N·m (401 lb-ft) @ 4400 rpm, 556 N·m (410 lb-ft) with manual transmission
  - 6.1L SRT8 HEMI V8, 317 kW (425 hp) @ 6000 rpm/570 N·m (420 lb-ft) @ 4800 rpm
- Estimated Acceleration:

	3.5L	5.7L w/ automatic	5.7L w/ manual	6.1L w/ automatic	6.1L w/ manual
– 0-96 km/h (0-60 mph) sec.	7.8	5.5	5.5	4.9	4.9

- Transmissions
  - Four-speed automatic (3.5L engine)
  - Five-speed Auto/Stick™ (5.7L, 6.1L engines)
  - Six-speed Tremec manual transmission with 1-4 skip shift (optional 5.7L and 6.1L engines)
- Clutch: A derivative of the 2008 Dodge Viper clutch, it is a two-disc design to ensure exceptional torque capacity, clutch life and low pedal effort. It features:
  - Two 250-mm discs
  - External diaphragm spring for lower pedal effort and superior cooling
  - Low-inertia flywheel design
  - Long travel dampers for reduced noise transmission



### PERFORMANCE/FUNCTIONAL (CONT.)

- Differentials: "Sure-Grip" anti-spin rear differential axle helps control the relative slip between the two rear wheels by way of a two-pinion speed-sensing torque response unit
  - 3.06 differentials on automatic transmission (SRT8)
  - 3.91 differentials on manual transmission (SRT8)
  - 3.73 differentials with 18-inch wheels (R/T)
  - 3.91 differentials with 20-inch wheels (R/T)The 5.7L will use the 3.06 ratio open differential and the 3.5L will use the 3.64 ratio open differential
- Hill Start Assist: Aids the driver with launching manual-transmission vehicles on inclines. This feature holds the brake for approximately one second, allowing the driver to seamlessly apply the throttle for an effortless start. Brakes will automatically release when the engine senses torque (standard manual equipped transmission)
- Brakes
  - Four-wheel disc (SE)
  - Four-wheel anti-lock disc (SXT)
  - ABS performance four-wheel disc with all-speed traction control (R/T)
  - High-performance four-wheel disc ABS with vented 356-mm (14-inch) front and 351-mm (13.8-inch) rear discs, and Brembo® Performance four-piston calipers and all-speed traction control (SRT8)
- All-speed traction control
- Suspension
  - Touring (SE, SXT)
  - Performance-tuned (R/T)
  - High-performance front with coil spring over Bilstein® monotube gas-charged shock absorbers and stabilizer bar/rear coil spring over Bilstein monotube gas-charged shock absorbers and isolated suspension cradle (SRT8)

- Steering
  - Power rack and pinion (SE, SXT)
  - Performance-tuned (R/T)
  - High-performance (SRT8)
- Exhaust systems
  - Stainless steel single outlet (SE, SXT)
  - Stainless steel performance dual exhaust with bright tips (R/T, SRT8)
- Tires
  - P215/65 R17 (SE)
  - P225/60 R18 All-season (SXT)
  - Michelin P235/55 R18 All-season (R/T)
  - Goodyear Eagle P245/45 R20 All-season performance (optional R/T)
  - Goodyear F1 Supercar P245/45 R20 All-season performance (SRT8)
  - Goodyear F1 Supercar P245/45 R20 front/P255/45 R20 rear Three-season (optional SRT8)

<sup>(1)</sup>No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. <sup>(2)</sup>Manual transmission. <sup>(3)</sup>Must use Bluetooth® compatible phone. <sup>(4)</sup>Limited availability. <sup>(5)</sup>Late availability. <sup>(6)</sup>Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt properly positioned, dependent on the child's age and weight.




The SUVPS Three-Minute Drill will help you present – in just three short minutes – the features that matter most to your customer. SUVPS is a method that can help you match key buyer motivations to groups of vehicle features: SAFETY/SECURITY, UTILITY, VALUE, PERFORMANCE, STYLING.

- Listen to your customer and identify their SUVPS buying “hot buttons.”
- Choose the appropriate features from the SUVPS categories.
- Use these features to tailor your presentation to your customer.

Highlight these same SUVPS features during your customer’s vehicle Walkaround Presentation.

- Start at the front and guide your customer through the five vehicle stations.
- At the end of their Walkaround, be sure to offer your customer a Demonstration Drive.



## CHALLENGER SE, SXT, R/T

### SAFETY/SECURITY

- 2 Available four-wheel disc ABS
- 2 Available Electronic Stability Program (ESP™)<sup>(1)</sup> with Brake Assist and all-speed traction control
- 5 Side-curtain air bags<sup>(2)</sup>

### UTILITY

- 2 Available Keyless Go push-button starter can start the vehicle by pressing the GO button when the FOB/K is within the passenger compartment (R/T)
- 3 Flexible interior capabilities (60/40-split folding rear seat and spacious 458L [16.2 cu. ft] trunk)

### VALUE

- 4 High-performance coupe revives the classic North American muscle car with 21st-century engineering at an affordable price
- 5 Available uconnect gps includes navigation, 30GB hard drive, AM/FM/uconnect studios – SIRIUS™ Satellite Radio with MP3 input, CD/DVD player, uconnect phone, voice dialogue system and integrated 6.5-inch touch screen display
- 5 Available advanced technologies include in-cluster EVIC, uconnect phone, uconnect studios – SIRIUS Satellite Radio and Universal Consumer Interface module located in the centre console (allows an iPod® to be controlled through the vehicle’s radio)

### PERFORMANCE

- 1 Choice of powertrains: 3.5L SOHC High Output V6 with four-speed automatic or an available 5.7L HEMI® VVT V8 with six-speed manual or 5.7L HEMI VVT V8 with Multi Displacement System (MDS) and five-speed Auto/Stick™
- 1 5.7L HEMI V8 with six-speed manual features Track Pak – includes Hill Start Assist, anti-spin rear axle and performance steering, pistol-grip shifter and bright pedal covers (R/T)
- 1 Excellent handling with performance-tuned steering and performance-tuned independent front and independent rear five link suspensions (R/T)
- 1 0-96 km/h (0-60 mph) in 5.5 seconds and quarter-mile time in 14 seconds (R/T)
- 2 Outstanding driving experience provided by near 50/50 front-to-rear weight distribution and rear-wheel drive

### STYLING

- 2 Standard 17-inch, with your choice of available 18-inch and 20-inch aluminum wheels
- 3 Dual exhaust with dual bright rectangular exhaust tips (R/T)
- 5 Cockpit-like driver’s space, round cluster gauge pods present a modern interpretation of the 1970s classic interior

<sup>(1)</sup>No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. <sup>(2)</sup>Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt properly positioned, dependent on the child’s age and weight.


## 2009 DODGE CHALLENGER SRT8



## SUVPS THREE-MINUTE DRILL

The SUVPS Three-Minute Drill will help you present – in just three short minutes – the features that matter most to your customer. SUVPS is a method that can help you match key buyer motivations to groups of vehicle features: SAFETY/SECURITY, UTILITY, VALUE, PERFORMANCE, STYLING.

- Listen to your customer and identify their SUVPS buying “hot buttons.”
- Choose the appropriate features from the SUVPS categories.
- Use these features to tailor your presentation to your customer. Highlight these same SUVPS features during your customer’s vehicle Walkaround Presentation.
- Start at the front and guide your customer through the five vehicle stations.
- At the end of their Walkaround, be sure to offer your customer a Demonstration Drive.



### CHALLENGER SRT8

#### SAFETY/SECURITY

- 1 Automatic High-Intensity Discharge (HID) headlamps and fog lamps
- 2 High-performance four-wheel disc ABS with Brembo® four-piston calipers and ventilated rotors – 96-0 km/h (60-0 mph) in approximately 33 m (110 ft)
- 2 Performance-tuned Electronic Stability Program (ESP™)<sup>(1)</sup> with Brake Assist, all-speed traction control and Hill Start Assist (manual transmission only)
- 5 Advanced multistage driver and front passenger air bags and side-curtain air bags<sup>(2)</sup>

#### UTILITY

- 2 Equipped with luxury appointments, including heated front seats, power six-way driver's seat and steering wheel-mounted radio controls
- 2 Keyless Go push-button starter can start the vehicle by pressing the GO button when the FOB is within the passenger compartment
- 5 Flexible interior capabilities (60/40-split folding rear seat and spacious 458L [16.2 cu. ft] trunk)
- 5 Advanced technologies including EVIC, dual-zone Automatic Temperature Control with dual sun sensors and an infrared sensor, AM/FM radio with MP3 input and CD player

#### VALUE

- 1 The SRT™ Track Experience – A thrilling racetrack-performance driving event exclusively for SRT owners provided at no additional cost
- 4 Factory-equipped with appearance and performance components typically found only on vehicles modified with aftermarket parts
- 4 High-performance coupe revives the classic North American muscle car with 21st-century engineering at an affordable price
- 5 Available uconnect gps with navigation, including 30GB hard drive, integrated 6.5-inch touch screen display featuring AM/FM/uconnect studios – SIRIUS™ Satellite Radio with MP3 input, CD/DVD player and uconnect phone voice dialogue system
- 5 Available 322-watt KICKER® SRT high-performance sound system with KICKER Mobile Surround Sound and 13 speakers (in eight locations), including a 200-watt subwoofer

#### PERFORMANCE

- 1 6.1L SRT HEMI® V8 with either performance-tuned five-speed Auto/Stick™ or available Tremec six-speed manual transmission produces 425 hp and 420 lb-ft of torque
- 1 0-96 km/h (0-60 mph) in the low five-second range and a quarter-mile time of under 14 seconds
- 1 Excellent handling with high-performance steering and high-performance front and rear independent suspension with “coil-overs”
- 1 Rear-wheel drive with anti-spin differential recreates the vintage muscle car
- 2 Available Performance display with specialized data including quarter-mile and eighth-mile time and speed, 0-96 km/h (0-60 mph) timer and more
- 2 20-inch Forged aluminum wheels outfitted with performance All-season tires
- 2 Available Track Pak includes six-speed, Hill Start Assist, anti-spin rear axle, ESP shutoff switch and high-performance steering, pistol grip shifter and bright pedal covers

#### STYLING

- 1 Contemporary version of the iconic pony car
- 1 Classic Challenger hood stripes, hood scoops, round dual headlights, bright rectangular exhaust outlets, and bright racing-style gas cap are cues that honour the heritage of the original
- 5 Race-Inspired interior blends nostalgic look with modern functionality
- 5 Custom instrument cluster graphics include a 300 km/h (180 mph) speedometer
- 5 Performance bolstered leather-faced seats with suede microfibre inserts, SRT8 logo in front seat head restraints and accent stitching on front and rear seats

<sup>(1)</sup>No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. <sup>(2)</sup>Always sit properly in the seat with the seat belt fastened. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size.



COLOUR AVAILABILITY

	SE/SXT	SXT <sup>(1)</sup> /R/T		SRT8
	Dark Slate Grey Cloth	Royale Leather with Dark Slate Grey Axis Perforated Inserts	Royale Leather with Medium Slate Grey Axis Perforated Inserts	Royale Leather with Radar Perforated Suede Microfibre Inserts
Exterior Colours				
Inferno Red Crystal Pearl	•	•		
TorRed	•	•	•	
HEMI® Orange Pearl <sup>(2)</sup>	•	•		•
Deep Water Blue Pearl	•	•	•	•
B5 Blue (Buzz Model) <sup>(3)</sup>	•	•	•	
Bright Silver Metallic	•	•	•	•
Dark Titanium Metallic	•	•		
Brilliant Black Crystal Pearl	•	•	•	•
Stone White	•	•		•

<sup>(1)</sup>Available. <sup>(2)</sup>R/T, SRT8 limited availability.

POWERTRAINS

Engines	Transmissions	SE	SXT	R/T	SRT8
3.5L SOHC High Output 24V V6 186 kW (250 hp) @ 6400 rpm and 339 N·m (250 lb-ft) @ 3800 rpm	Four-speed automatic	S	S		
5.7L HEMI VVT V8 w/Multi-Displacement* 277 kW (372 hp) @ 5200 rpm and 544 N·m (401 lb-ft) @ 4400 rpm	Five-speed automatic with Auto/Stick™			S	
5.7L HEMI VVT V8 w/Multi-Displacement* 280 kW (376 hp) @ 5150 rpm 556 N·m (410 lb-ft) @ 4300 rpm	Six-speed manual			O	
6.1L SRT™ HEMI V8 317 kW (425 hp) @ 6000 rpm 570 N·m (420 lb-ft) @ 4800 rpm	Five-speed automatic with Auto/Stick				S
6.1L SRT HEMI V8 317 kW (425 hp) @ 6000 rpm 570 N·m (420 lb-ft) @ 4800 rpm	Six-speed manual				O

\*MDS is not available with the 6-speed manual transmission.

SELECTED FEATURES, OPTIONS AND PACKAGES

	Engines	Transmissions	RWD			
			SE	SXT	R/T	SRT8
	3.5L SOHC High Output 24V V6	Four-speed automatic	26E	26G		
	5.7L HEMI VVT V8 Includes: Track Pak w/pistol grip shifter, Hill Start Assist, anti-spin rear axle, bright pedal covers, performance steering, ESP shutoff switch	Six-speed manual			27J	
	5.7L HEMI VVT Multi-Displacement V8 Eagle	Five-speed Auto/Stick			28J	
	6.1L SRT HEMI V8 Includes: Track Pak w/pistol grip shifter, Hill Start Assist, anti-spin rear axle, bright pedal covers, performance steering, ESP shutoff switch	Six-speed manual				21X
	6.1L SRT HEMI V8	Five-speed Auto/Stick				22X
Features						
	Alternator—160-amp		•	•	•	•
	Air Bags <sup>(1)</sup> – Advanced multistage for driver and front passenger		•	•	•	•
	– Side-curtain for front and rear outboard occupants		•	•	•	•
	Air Conditioning – Manual temperature control		•	•	•	•
	Antenna – Integrated into rear window		•	•	•	•
	Assist Handles – Passenger		•	•	•	•



SELECTED FEATURES, OPTIONS AND PACKAGES (CONT.)	RWD			
	SE	SXT	R/T	SRT8
Axle – Anti-spin differential rear axle (with manual transmission on R/T)			•	•
Battery – 625 amp, Maintenance-free	•	•	•	•
Battery-Saver Feature – Enhanced, programmable to turn headlamps and other switched and non-switched interior lamps off after ignition is turned off	•	•	•	•
Brakes – Four-wheel disc brakes	•			
– Anti-lock four-wheel disc brakes		•		
– Anti-lock four-wheel disc performance brakes			•	
– Power High-Performance four-wheel disc with anti-lock with vented 356-mm (14-inch) front and 351-mm (13.8-inch) rear discs				•
Child Seat Anchor System (LATCH) – Mounts for two child seats in the rear help ease the installation of compatible aftermarket child seats	•	•	•	•
Console – Floor, with fore and aft slide, cellphone storage, and rear climate control outlets and 12V power accessory delay	•	•	•	•
Defroster – Rear window	•	•	•	•
Door Handles – Body-colour	•	•	•	•
Door locks – Power, speed-sensitive locking, child-protection rear	•	•	•	•
Electronics Convenience Group – Includes illuminated cup holders, rear-view auto-dimming mirror with microphone, instrument cluster with display, temperature and compass with mini trip computer, illuminated door pulls, security alarm, disconnect phone voice-activated hands-free communication system, steering wheel-mounted audio controls, Keyless Go, HomeLink® Universal Transceiver, remote start (automatic only), Tire Pressure Monitoring display, and Universal Consumer Interface (UCI)			O	
Electronic Stability Program (ESP™) <sup>2)</sup> – Includes Brake Assist		•	•	•
Electronic Vehicle Information Centre (EVIC) – Reconfigurable driver-interactive information display with up to 128-functions and steering wheel-mounted controls (Included with Electronics Convenience Group)			P	•
Engine Block Heater	•	•	•	
Engine Cooling – Heavy-Duty	•	•	•	
– Severe-Duty II				•
Exhaust System – Stainless steel exhaust with single tip	•	•		
– Stainless steel performance exhaust with dual bright exhaust tips			•	
– Stainless steel high-performance exhaust with dual bright exhaust tips				•
Floor Mats – Front and rear	•			
– Luxury, front and rear		•	•	•
Fuel Filler Door – Painted	•	•		
– Bright, polished aluminum			•	•
Fuel Tank – 70-litre (15.4 imp. gal.) with tethered cap	•	•		
– 72-litre (16 imp. gal.)			•	•
Grille – Satin Chrome surround with black field	•	•	•	•
Glass – Solar control, all windows	•	•	•	•
Headlamps – Halogen with delay	•	•	•	
– Xenon High-Intensity Discharge headlamps (LMP)			O	•
– Automatic			•	•
– Fog lamps		•	•	•
HomeLink Universal Transceiver <sup>3)</sup> – Programmable, three-function with remote controls for garage door opener, interior/exterior home lighting or security devices (Included with Electronics Convenience Group)			P	•
Interior Accents – Satin Silver lock knobs	•	•	•	•
Keyless Go – Push-button starter (Included with Electronics Convenience Group)			P	•
Leather Interior Group – Includes leather-faced bucket seats, and heated front seats (AJD)		O		





SELECTED FEATURES, OPTIONS AND PACKAGES (CONT.)	RWD			
	SE	SXT	R/T	SRT8
Lighting – Front map lamps for reading and rear courtesy lamps	•	•	•	•
– Trunk lamp	•	•	•	•
– Illuminated cup holders and door pulls (Included with Electronics Convenience Group)			P	•
Mirrors – Rear-view, day/night	•	•	•	•
– Rear-view, auto-dimming with microphone (included with Electronics Convenience Group and uconnect gps)		P	P	•
Mirrors – Power body-colour, folding	•	•		
– Power body-colour, folding, heated			•	•
Pedals – Non-adjustable	•	•	•	•
Power Accessory – 12V auxiliary power outlet located in centre console	•	•	•	•
Rear Spoiler – Body-colour			•	
– Black				•
Remote Keyless/Illuminated Entry System – Includes two transmitters	•	•	•	•
Remote Start System – (Automatic transmission only) (Included with Electronics Convenience Group)			P	•
Seat Belts – Height-adjustable three-point driver and front passenger with travelling buckles and seat belt pretensioners; three-point lap/shoulder belts at all rear seat positions	•	•	•	•
Security Alarm (included with Electronics Convenience Group)			P	•
Sentry Key® – Anti-theft engine immobilizer	•	•	•	•
Seating – Cloth	•	•		
– Leather-faced (included with Leather Interior Group) (*RL)		P	•	
– Premium leather-faced				•
– Light Slate Grey inserts, must have Dark Slate Grey leather (CED)		O	O	
Front – Front low-back buckets	•	•	•	•
– Eight-way power driver's seat with power tilt/recline	•	•	•	•
– Heated front seats (included with Leather Interior Group)		P	•	•
– Manual driver/passenger adjustable lumbar	•	•	•	•
Rear – 60/40-split folding rear bench with armrest and two cup holders	•	•	•	•
Shift Knob – Urethane	•			
– Leather-wrapped		•	•	•
Speed Control – Electronic with steering column-mounted controls	•	•	•	•
Speedometer – 220 km/h (140 mph) with electroluminescent display, with tachometer	•	•		
– 260 km/h (160 mph) with electroluminescent display, with tachometer			•	
– 300 km/h (180 mph) with electroluminescent display, with tachometer				•
Sound/Entertainment/Communications – AM/FM radio with CD and MP3 capability	•	•	•	•
– AM/FM radio with integrated six-disc CD changer with MP3 capability (included with Sound Group, Sound Group II, and SRT™ Option Group II) (REQ)		O/P	P	P
– uconnect gps includes AM/FM/CD/DVD/HDD/MP3 radio with navigation, touch screen and voice recognition		O	O	O
– Universal Consumer Interface (UCI) (included with Electronics Convenience Group)			P	•
– uconnect studios SIRIUS™ Satellite Radio (included with Sound Group) (RSC)	O	O/P	•	•
– uconnect phone – Includes auto-dimming rear-view mirror (included with Electronics Convenience Group and uconnect gps)		P	P	•
Sound Group – Includes AM/FM six-disc DVD and MP3 capability, six Boston Acoustics® speakers, 276-watt amplifier and uconnect studios SIRIUS Satellite radio (AAX)		O		
Sound Group II – Includes AM/FM six-disc DVD and MP3 capability, seven Boston Acoustics speakers and 368-watt amplifier (ATL)			O	
Speakers – Four speakers	•	•		
– Six Boston Acoustics speakers with 276-watt digital amplifier (Included with Sound Group)		P	•	•



SELECTED FEATURES, OPTIONS AND PACKAGES (CONT.)	RWD			
	SE	SXT	R/T	SRT8
- Seven Boston Acoustics speakers with 368-watt digital amplifier (Included with Sound Group II)			P	
- 13 SRT™ High-Performance KICKER® speakers (eight locations) with a 322-watt digital amplifier and 200-watt subwoofer amplifier (included with SRT Option Group II)				P
SRT Option Group II – Includes AM/FM six-disc DVD and MP3 capability, 13 KICKER SRT High-Performance audio speakers, 322-watt KICKER SRT amplifier and 200-watt KICKER SRT subwoofer <b>(AY2)</b>				O
Steering – Power rack and pinion	•	•		
- Performance			•	
- Performance tuned				•
Steering Column – Tilt/telescoping, manual	•	•	•	•
Steering Wheel – Urethane	•			
- Leather-wrapped		•	•	•
- Steering wheel-mounted audio and EVIC controls if equipped (included with Electronics Convenience Group)			P	•
Sunroof – Power with one-touch open/close and vent feature <b>(GWA)</b>		O	O	O
Sun Visor – Driver and passenger visor with mirror	•			
- Dual visor vanity, illuminated		•	•	•
Suspension – Touring	•	•		
- Performance			•	
- High-performance				•
Stabilizer Bar – Rear	•	•	•	•
Temperature Display – Outside, located in instrument cluster (included with Electronics Convenience Group)			P	•
Tip Start – Prevents ignition from over cranking (N/A with manual transmission)	•	•	•	•
Tires – P215/65R17 BSW All-season Touring	•			
- P225/60R18 BSW Touring		•		
- P235/55R18 BSW All-season Performance			•	
- P245/45ZR20 All-season Performance				•
- P245/45ZR20, P255/45ZR20 Performance <b>(TTX)</b>				O
- P245/45ZR20 BSW All-season Performance (included with optional 20-inch aluminum chrome-clad wheels)			P	
- TIREFIT System: tire sealant and electric compressor	•	•	•	•
- Compact spare tire <b>(TBC)</b>		O	O	
Tire Pressure Monitoring Warning Lamp	•	•	•	
Tire Pressure Monitoring Display (included with Electronics Convenience Group)			P	•
Track Pak – Includes six-speed manual transmission w/pistol grip shifter, Hill Start Assist, anti-spin differential (3.73 w/18-inch wheels, 3.92 w/20-inch wheels), and bright pedals (included with the manual transmission)			P	P
Wheels – 17-inch Machined-face aluminum wheel	•			
- 18-inch Aluminum		•	•	
- 20-inch Chrome-clad cast aluminum <b>(WP2)</b>			O	
- 20-inch SRT forged, polished aluminum				•
Windows – Power front one-touch auto down	•	•	•	•
Windshield Wipers – Two-speed with variable intermittent mode	•	•	•	•

• – Included P – Available within package noted O – Optional L – Limited Production Option (Fleet Only)

<sup>19</sup>Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt properly positioned, dependent on the child's age and weight. <sup>20</sup>No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. <sup>21</sup>Not compatible with all garage door openers. See your retailer for details.

**2009 DODGE  
CHALLENGER**



**SPECIFICATIONS/  
DIMENSIONS**

<b>SPECIFICATIONS/DIMENSIONS<sup>(1)</sup></b>	<b>SE</b>	<b>SXT</b>	<b>R/T</b>	<b>SRT8</b>
<b>Exterior</b>	<b>(26E)</b>	<b>(26G)</b>	<b>(27J/28J)</b>	<b>(21X/22X)</b>
Wheelbase			2946 (116.0)	
Length			5023 (197.7)	
Width			1923 (75.7)	
Track – (Front/Rear)			1603/1604 (63.0/63.1)	
Turning Diameter – m (ft)			11.9 (38.9)	
<b>Interior</b>				
Headroom – (Front/Rear)			1003/949 (39.5/37.4)	
Legroom – (Front/Rear)			1066/828 (42.0/32.6)	
Shoulder Room – (Front/Rear)			1478/1369 (58.2/53.9)	
Hip Room – (Front/Rear)			1389/1305 (54.7/51.4)	
Seating Capacity			5	
<b>Capacities/Weights</b>				
Passenger Interior Volume – L (cu. ft)			2658 (93.9)	
Cargo Capacity – L (cu. ft)			458 (16.2)	
Fuel Tank Capacity L (imp. gal)	70 (15.4)		72 (16)	
Curb Weight kg (lb)	1732 (3819)		1833 (4041)	1878 (4140)
Towing Capacity – Maximum kg (lb)	454 (1000) <sup>(2)</sup>		454 (1000) <sup>(3)</sup>	Not Recommended
<b>Standard Engine</b>	3.5L SOHC High Output 24V V6		5.7L HEMI <sup>®</sup> VVT V8 5.7L HEMI VVT Multi-Displacement V8	6.1L SRT <sup>™</sup> HEMI V8
Power – kW (hp) @ rpm	186 (250) @ 6400		277 (372) @ 5200 (376) <sup>(4)</sup>	317 (425) @ 6000
Torque – Nm (lb-ft) @ rpm	339 (250) @ 3800		544 (401) @ 4400 (410) <sup>(4)</sup>	570 (420) @ 4800
Standard transmission	4-Speed Automatic Transmission		5-speed Auto/Stick <sup>™</sup> (28J)	
Optional transmission	N/A		6-Speed Manual Includes: Track Pak with Pistol Grip Shifter, Hill Start Assist, Anti-spin Rear Axle, Bright Pedal Covers, Performance Steering, ESP Shutoff Switch (27J)	
<b>2009 EnerGuide Fuel Consumption Ratings – L/100 km (mpg) City; Highway</b>	12.2 (23); 8.1 (35)		13.3 (21); 8.1 (35) Manual 13.5 (21); 8.0 (35) Auto	16.0 (18); 10.6 (27) Manual 15.6 (18); 9.2 (31) Auto

<sup>(1)</sup>All dimensions shown in mm (in.) unless otherwise specified. <sup>(2)</sup>When properly equipped. Refer to Owner's Manual for restrictions. <sup>(3)</sup>Not recommended with manual transmission.

<sup>(4)</sup>When equipped with manual transmission.